

Educational Adequacy

Scorecard

The Educational and Facility Adequacy scorecard summarizes criteria for facility functional performance evaluations. The planning team used these same criteria in its observations of each District's facilities. The assessments were completed and facilities reviewed for Performance and Adjacency.

Performance

- 1 Poor**
- Program space is not housed in existing facility or is in a portable.
 - Existing space is detrimental to educational philosophy or given function.
- 2 Below Average**
- Existing space is not conducive to educational philosophy or given function.
 - Existing space is managing at minimum level.
- 3 Average**
- Existing space is conducive to educational philosophy or given function.
 - Existing space works but does not elevate the learning processor given function.
- 4 Excellent**
- Existing space embraces the educational philosophy or given function.
 - Existing space inspires and embraces all types of learners and inhabitant.

Adjacency

- S - Safety**
- Current location is a detriment to school safety.
- P - Proximity**
- Proximity to key building programs is less than ideal and impacts usefulness.
- A - Accessible**
- The space is not handicap accessible.

Facility Grade

Based on the individual program element assessments, the facility was given an overall grade:

- ES - Exceeds Standards**
- Facility enhances the education philosophy or given function and serves as an inspiration to its inhabitants.
- MS - Meets Standard**
- Facility is conducive to the education philosophy or given function.
- DNMS - Does Not Meet Standards**
- Facility has more spaces that detract for the learning process or given function than those that support or enhance it.

District School Facility

Educational Adequacy	Administration	Art	Auditorium	Business	Classroom - Core	Counseling / Guidance	Custodial / Maintenance	Drama	Early Childhood	Faculty / Staff Support	Food Service	Journalism	Life Management	Media Center	Music	Natatorium	Physical Education / Athletics	Special Needs Areas	Science	Student Services - Project Based Learning Spaces	Technology Support	Technology - Industrial Technology	World Language	Facility Point Total	Max Point Total	Facility Grade
Underwood Hills - ECC	2.5 S	NA	NA	NA	NA	NA	1	NA	1	4	3	NA	NA	1	NA	NA	NA	3	NA	3.5 P	NA	NA	NA	19	32	DNMS
Hillside Elementary	2 S	1	NA	NA	2	NA	4	NA	0.75 P	3	2	NA	NA	2	1	NA	4	4	NA	1	NA	NA	1	27.75	52	DNMS
Loveland Elementary	1.5 S	1	NA	NA	1.75 P	NA	2	NA	1	2	1	NA	NA	2	1	NA	1	0.75 P	NA	1	NA	NA	1	17	52	DNMS
Oakdale Elementary	1.5 S	3.5 A	NA	NA	3.5 A	NA	4	NA	1.5 A	4	2	NA	NA	3	0.25 P A	NA	1	1	NA	1	NA	NA	1	27.25	52	DNMS
Paddock Road Elementary	3 S	1	NA	NA	3	NA	1	NA	1	4	2	NA	NA	4	2	NA	1	3	NA	1	NA	NA	1	27	52	DNMS
Prairie Lane Elementary	1.5 S	1	NA	NA	4	NA	4	NA	1.75 P	3	3	NA	NA	3.75 P	1	NA	0.75 P	2	NA	1	NA	NA	1	27.75	52	DNMS
Rockbrook Elementary	1.5 S	1	NA	NA	4	NA	4	NA	1	4	2	NA	NA	4	2	NA	1	1.5 A	NA	1	NA	NA	1	28	52	DNMS
Sunset Hills Elementary	1 S	4	NA	NA	3	NA	2	NA	1	4	1	NA	NA	2	2	NA	2	1	NA	1	NA	NA	1	25	52	DNMS
Swanson Elementary	1 S	1	NA	NA	3	NA	1	NA	1	3	3	NA	NA	1	0.5 A	NA	1	1	NA	1	NA	NA	1	18.5	52	DNMS
Westbrook Elementary	2.5 S	4	NA	NA	3	NA	4	NA	4	3	2	NA	NA	4	4	NA	4	4	NA	1	NA	NA	1	40.5	52	MS
Westgate Elementary	1 S	2	NA	NA	3.25 S P	NA	1	NA	2	1	1	NA	NA	4	0.25 P A	NA	4	4	NA	1	NA	NA	1	25.5	52	DNMS
ELEMENTARY AVERAGE:	1.73 DNMS	1.95 DNMS	NA	NA	3.05 MS	NA	2.55 DNMS	NA	1.45 DNMS	3.18 MS	2.00 DNMS	NA	NA	2.80 MS	1.40 DNMS	NA	1.98 DNMS	2.30 DNMS	NA	1.23 DNMS	NA	NA	1.00 DNMS			

District School Facility	Educational Adequacy																										Facility Point Total	Max Point Total	Facility Grade
		Administration	Art	Auditorium	Business	Classroom - Core	Counseling / Guidance	Custodial / Maintenance	Drama	Early Childhood	Faculty / Staff Support	Food Service	Journalism	Life Management	Media Center	Music	Natorium	Physical Education / Athletics	Special Needs Areas	Science	Student Services - Project Based Learning Spaces	Technology Support	Technology - Industrial Technology	World Language					
Westside Middle School	Performance Adjacency	1.25 S P	3.75 P	4	1	2	4	1	1	NA	3	3	NA	2.5 A	3.75 P	4	NA	3.5 A	2	1	1	4	1.5 A	1	48.25	80	DNMS		
Westside High School	Performance Adjacency	3.25 A P	3.75 P	2	4	3	4	4	3	NA	4	4	4	3.5 A	4	4	3.5 P	2.75 p	2	4	3	3	3	3	74.75	88	ES		
Westside Career Center	Performance Adjacency	2.75 P	1	NA	3	4	1	3	NA	NA	2	1	NA	1	NA	1	NA	3.25 P A	4	4	4	NA	NA	2 +	37	60	DNMS		
ABC Building	Performance Adjacency	2.25 A P	NA	NA	NA	NA	NA		NA	NA	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1	NA	NA	4.25	16	DNMS		
Service Center	Performance Adjacency	4	NA	NA	NA	NA	NA	2.5 S	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.5	8	MS		
AVERAGE:		2.01	2.14	3.00	2.67	3.04	3.00	2.57	2.00	1.45	3.01	2.13	4.00	2.33	2.95	1.74	3.50	2.23	2.37	3.00	1.52	2.67	2.25	1.21					

* For the Westside Career Center the World Language category represents general elective classrooms.